Route du Pré-au-Comte 8 🔺 CH-1844 Villeneuve 🔺 +41 (0)21 965 65 65

Test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes



Classification: **B**

In accordance with standards EN 926-1:2015, EN 926-2:2013 and LTF NFL II-

91/09:

Date of issue (DMY):

Manufacturer:

Model:

Serial number:



PG_1653.2020

03.03.2020

Niviuk Gliders / Air Games S.L.

Ikuma 2 22

PI460890

Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight (kg)	85	Range of speed system (cm)	16
Minimum weight in flight (kg)	65	Speed range using brakes (km/h)	14
Glider's weight (kg)	4.1	Total speed range with accessories (km/h)	24
Number of risers	3	Range of trimmers (cm)	0
Projected area (m2)	18.84		
Harness used for testing (max weight)		Inspections (whichever happens first)	
Harness type	ABS	every 24 months or every 100 flying hours	
Harness brand	Advance	Warning! Before use refer to user's manual	
Harness model	Success 4 M	Person or company having presented the glider for testing: None	
Harness to risers distance (cm)	44		
Distance between risers (cm)	44		

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23

Route du Pré-au-Comte 8 🔺 CH-1844 Villeneuve 🔺 +41 (0)21 965 65 65

Test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes



Classification: **B**

In accordance with standards EN 926-1:2015, EN 926-2:2013 and LTF NFL II-

91/09:

Model:

Date of issue (DMY):

Manufacturer:

Serial number:

CONTRACT

PG_1628.2019

16.01.2020

Niviuk Gliders / Air Games S.L.

Ikuma 2 24

OIIK24V5

Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight (kg)	95	Range of speed system (cm)	16
Minimum weight in flight (kg)	75	Speed range using brakes (km/h)	14
Glider's weight (kg)	4.4	Total speed range with accessories (km/h)	24
Number of risers	3	Range of trimmers (cm)	0
Projected area (m2)	20.55		
Harness used for testing (max weight)		Inspections (whichever happens first)	
Harness type	ABS	every 24 months or every 100 flying hours	
Harness brand	Supair	Warning! Before use refer to user's manual	
Harness model	Altiplume M	Person or company having presented the glider for testing: None	
Harness to risers distance (cm)	44		
Distance between risers (cm)	44		

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23

A A A A A A A B A A B A A A A A A A U

Route du Pré-au-Comte 8 🔺 CH-1844 Villeneuve 🔺 +41 (0)21 965 65 65

Test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes



Classification: **B**

In accordance with standards EN 926-1:2015, EN 926-2:2013 and LTF NFL II-

91/09:

Date of issue (DMY):

Manufacturer:

Model:

Serial number:



PG_1629.2019

16.01.2020

Niviuk Gliders / Air Games S.L.

Ikuma 2 26

Ikuma2526V1

Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight (kg)	105	Range of speed system (cm)	16
Minimum weight in flight (kg)	85	Speed range using brakes (km/h)	14
Glider's weight (kg)	4.6	Total speed range with accessories (km/h)	24
Number of risers	3	Range of trimmers (cm)	0
Projected area (m2)	22.27		
Harness used for testing (max weight)		Inspections (whichever happens first)	
Harness type	ABS	every 24 months or every 100 flying hours	
Harness brand	Icaro	Warning! Before use refer to user's manual	
Harness model	Energy 2 L	Person or company having presented the glider for testing: Olivier Nef	
Harness to risers distance (cm)	43		
Distance between risers (cm)	48		

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23

Route du Pré-au-Comte 8 🔺 CH-1844 Villeneuve 🔺 +41 (0)21 965 65 65

Test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes



Classification: **B**

In accordance with standards EN 926-1:2015, EN 926-2:2013 and LTF NFL II-

91/09:

Date of issue (DMY):

Manufacturer:

Model:

Serial number:



PG_1660.2020

20.02.2020

Niviuk Gliders / Air Games S.L.

Ikuma 2 30

PI460892

Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight (kg)	130	Range of speed system (cm)	16
Minimum weight in flight (kg)	105	Speed range using brakes (km/h)	14
Glider's weight (kg)	5.3	Total speed range with accessories (km/h)	24
Number of risers	3	Range of trimmers (cm)	0
Projected area (m2)	25.69		
Harness used for testing (max weight)		Inspections (whichever happens first)	
Harness type	ABS	every 24 months or every 100 flying hours	
Harness brand	Supair	Warning! Before use refer to user's manual	
Harness model	Evo XC 3 L	Person or company having presented the glider for testing: Tim Rochas	
Harness to risers distance (cm)	44		
Distance between risers (cm)	48		

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23