



Classification: **D**



In accordance with standards EN 926-1:2015, EN 926-2:2013+A1:2021 and NfL 2-565-20

PG_2152.2023

Date of issue (DMY):

17.03.2023

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Klimber 3 P 20

Serial number:

KLIMBER320

Configuration during flight tests

Paraglider

Maximum weight in flight (kg)	78
Minimum weight in flight (kg)	60
Glider's weight (kg)	3
Number of risers	2+1
Projected area (m ²)	17.3

Accessories

Range of speed system (cm)	18.7
Speed range using brakes (km/h)	12
Total speed range with accessories (km/h)	36
Range of trimmers (cm)	0

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Niviuk Gliders
Harness model	Konvers M
Harness to risers distance (cm)	44
Distance between risers (cm)	44

Inspections (whichever happens first)

every 100 hours of use or every 24 months
Warning! Before use refer to user's manual
Person or company having presented the glider for testing: None

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
C A B C A A A A B D B A C D A A D D 0 A A A A



Classification: **D**



In accordance with standards EN 926-1:2015, EN 926-2:2013+A1:2021 and NfL 2-565-20

PG_2153.2023

Date of issue (DMY):

17.03.2023

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Klimber 3 P 21

Serial number:

KLIMBER33121

Configuration during flight tests

Paraglider

Maximum weight in flight (kg)	93
Minimum weight in flight (kg)	73
Glider's weight (kg)	3.1
Number of risers	2+1
Projected area (m2)	18.3

Accessories

Range of speed system (cm)	19.3
Speed range using brakes (km/h)	12
Total speed range with accessories (km/h)	36
Range of trimmers (cm)	0

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Woody Valley
Harness model	Wani Light 2 M
Harness to risers distance (cm)	43
Distance between risers (cm)	45

Inspections (whichever happens first)

every 100 hours of use or every 24 months
Warning! Before use refer to user's manual
Person or company having presented the glider for testing: None

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
C A A C A A A A A D A A C D A A D B 0 A A A A



Classification: **D**



In accordance with standards EN 926-1:2015, EN 926-2:2013+A1:2021 and NfL 2-565-20

PG_2154.2023

Date of issue (DMY):

17.03.2023

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Klimber 3 P 23

Serial number:

KLIMBER323

Configuration during flight tests

Paraglider

Maximum weight in flight (kg)	105
Minimum weight in flight (kg)	85
Glider's weight (kg)	3.3
Number of risers	2+1
Projected area (m2)	19.6

Accessories

Range of speed system (cm)	19.8
Speed range using brakes (km/h)	12
Total speed range with accessories (km/h)	36
Range of trimmers (cm)	0

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Niviuk Gliders
Harness model	Konvers M
Harness to risers distance (cm)	44
Distance between risers (cm)	47

Inspections (whichever happens first)

every 100 hours of use or every 24 months
Warning! Before use refer to user's manual
Person or company having presented the glider for testing: None

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
C A B C A A A A B D A A C D A A D B 0 A A A A