Route du Pré-au-Compte 8 \* CH-1844 Villeneuve \* +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes





Classification: A

In accordance with standards: EN926-1:2015, EN926-2:2013+A1:2021

and NfL 2-565-20

Date of issue (DMY):

Manufacturer:

Model:

Serial number:

PG 2323.2024

10.01.2024

Niviuk Gliders / Air Games S.L.

TARGET 20

WILCO20V21

## Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight [kg]	75	Range of speed system [cm]	13.9
Minimum weight in flight [kg]	40	Speed range using brakes [km/h]	14
Glider's weight [kg]	3.6	Total speed range with accessories [km/h]	22
Number of risers	3+1	Range of trimmers [cm]	0
Projected area [m <sup>2</sup> ]	17.58		
Harness used for testing (max weigh	ght)	Inspections (whichever happens first)	
Harness type	ABS	Every 2 years or every 100 flight hours	
Harness brand	Supair s.a.s.		
Harness model	Altiplume M	Person or company having presented the	
Harness to risers distance [cm]	43	glider for testing: None	
Distance between risers [cm]	40		

10 11 12 13 14 15 18 19 20 21 22 23

Route du Pré-au-Compte 8 \* CH-1844 Villeneuve \* +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes





Classification: A

In accordance with standards: EN926-1:2015, EN926-2:2013+A1:2021

and NfL 2-565-20

Date of issue (DMY):

Manufacturer:

Model: Serial number: PG 2324.2024

10.01.2024

Niviuk Gliders / Air Games S.L.

TARGET 22

WILCO22V21

# Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight [kg]	85	Range of speed system [cm]	12.9
Minimum weight in flight [kg]	55	Speed range using brakes [km/h]	14
Glider's weight [kg]	3.8	Total speed range with accessories [km/h]	22
Number of risers	3+1	Range of trimmers [cm]	0
Projected area [m²]	19.34		
Harness used for testing (max	weight)	Inspections (whichever happens first)	
Harness type	ABS	Every 2 years or every 100 flight hours	
Harness brand	Advance Thun AG		
Harness model	Success 4 M	Person or company having presented the	
Harness to risers distance [cm]	43	glider for testing: None	
Distance between risers [cm]	44		

9 10 11 12 13 14 15 16 17 18 19 20 21 22 23

Route du Pré-au-Compte 8 + CH-1844 Villeneuve + +41 (D)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes





Classification: A

In accordance with standards: EN926-1:2015, EN926-2:2013+A1:2021

and NfL 2-565-20

Date of issue (DMY):

Manufacturer:

Model: Serial number: PG 2325.2024

10.01.2024

Niviuk Gliders / Air Games S.L.

TARGET 24

WILKO224

# Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight [kg]	95	Range of speed system [cm]	13.1
Minimum weight in flight [kg]	65	Speed range using brakes [km/h]	14
Glider's weight [kg]	4	Total speed range with accessories [km/h]	22
Number of risers	3+1	Range of trimmers [cm]	0
Projected area [m²]	21.09		
Harness used for testing (max	weight)	Inspections (whichever happens first)	
Harness type	ABS	Every 2 years or every 100 flight hours	
Harness brand	Advance Thun AG		
Harness model	Success 4 M	Person or company having presented the	
		glider for testing: <b>None</b>	
Harness to risers distance [cm]	43	gilder for testing. NONE	
Distance between risers [cm]	44		

9 10 11 12 13 14 15 16 18 19 20 21 22 23

Route du Pré-au-Compte 8 \* CH-1844 Villeneuve \* +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes





Classification: A

In accordance with standards: EN926-1:2015, EN926-2:2013+A1:2021

and NfL 2-565-20

Date of issue (DMY):

Manufacturer:

Model:

Serial number:

PG 2326.2024

10.01.2024

Niviuk Gliders / Air Games S.L.

TARGET 26

WILKO226

## Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight [kg]	105	Range of speed system [cm]	13.3
Minimum weight in flight [kg]	75	Speed range using brakes [km/h]	14
Glider's weight [kg]	4.3	Total speed range with accessories [km/h]	22
Number of risers	3+1	Range of trimmers [cm]	0
Projected area [m²]	22.85		
Harness used for testing (max	weight)	Inspections (whichever happens first)	
Harness type	ABS	Every 2 years or every 100 flight hours	
Harness brand	Advance Thun AG		
Harness model	Success 4 M	Person or company having presented the	
Harness to risers distance [cm]	43	glider for testing: None	
Distance between risers [cm]	48		

10 11 12 13 14 15 18 19 20 21 22 23

Route du Pré-au-Compte 8 \* CH-1844 Villeneuve \* +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes





Classification: A

In accordance with standards: EN926-1:2015, EN926-2:2013+A1:2021

and NfL 2-565-20

Date of issue (DMY):

Manufacturer:

Model: Serial number: PG 2327.2024

10.01.2024

Niviuk Gliders / Air Games S.L.

**TARGET 28** 

WILKO228

# Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight [kg]	120	Range of speed system [cm]	13.4
Minimum weight in flight [kg]	90	Speed range using brakes [km/h]	14
Glider's weight [kg]	4.6	Total speed range with accessories [km/h]	22
Number of risers	3+1	Range of trimmers [cm]	0
Projected area [m²]	24.61		
Harness used for testing (max weig	jht)	Inspections (whichever happens first)	
Harness type	ABS	Every 2 years or every 100 flight hours	
Harness brand	Supair s.a.s.		
Harness model	Evo XC 3 L	Person or company having presented the	
Harness to risers distance [cm]	44	glider for testing: None	
Distance between risers [cm]	48		

9 10 11 12 13 14 15 16 18 19 20 21 22 23

Route du Pré-au-Compte 8 \* CH-1844 Villeneuve \* +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes





Classification: A

In accordance with standards: EN926-1:2015, EN926-2:2013+A1:2021

and NfL 2-565-20

Date of issue (DMY):

Manufacturer:

Model: Serial number: PG 2328.2024

10.01.2024

Niviuk Gliders / Air Games S.L.

TARGET 30

WILKO230

## Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight [kg]	135	Range of speed system [cm]	13.2
Minimum weight in flight [kg]	105	Speed range using brakes [km/h]	14
Glider's weight [kg]	4.9	Total speed range with accessories [km/h]	22
Number of risers	3+1	Range of trimmers [cm]	0
Projected area [m²]	26.37		
Harness used for testing (max weig Harness type	ht)	Inspections (whichever happens first) Every 2 years or every 100 flight hours	
Harness brand	Supair s.a.s.		
Harness model	Evo XC 3 L	Person or company having presented the	
Harness to risers distance [cm]	44	glider for testing: <b>None</b>	
Distance between risers [cm]	48		

10 11 12 13 14 15 18 19 20 21 22 23